

Makita

18Vx2 Brushless 534mm (21") Lawn Mower

LXT

DLM535



18Vx2 18V + 18V 36V
BRUSHLESS

Product Statement

The DLM535 provides the power to take on the toughest lawns. It holds up to 4x 18V Li-ion batteries and features a convenient battery selection switch allowing the user to quickly jump to the second set of batteries providing minimal hold ups and a maximum mowing area of up to 2,300m².

The 534mm (21") heavy duty steel deck provides added strength while working and the motor will now run constantly at 2,800rpm the entire time it is in use, providing maximum power throughout every job.

The 10-stage height adjustment lets you cut at a variety of heights whilst the 70L full mesh catcher allows for efficient grass collection. The quiet mode provides versatility, dropping the rpm down to 2,300rpm allowing you to work in the morning or at night or in shared spaces with lower noise output.

DLM531 is replaced by DLM535



Product Overview

XPT
EXTREME PROTECTION TECHNOLOGY



Product Specification Sheet



Grass box capacity	70L
Cutting height adjustment range	20 - 100mm, 10 Heights
No load speed	2,800rpm (Quiet Mode - 2,300rpm)
Max. cutting width	534mm (21")
Maximum Mowing Area (With 4x 6.0Ah Batteries, Results May Vary)	Up to 2,300m ²
Overall length	1,715mm
Skin weight	36kg
Weight (with battery)	38.4kg
Voltage	36V (18Vx2)

- **eXtreme Protection Technology** – is an advanced series of seals and channels to direct dust and moisture away from critical components.
- **Holds 4x 18V Batteries** – powered by two 18V Li-ion batteries but features a convenient battery selection switch allows you to quickly change to the second set of batteries.
- **Heavy Duty Steel Deck** – the robust design provides greater protection to potential damage from stones or foreign objects.
- **534mm (21") Cutting Capacity** – provides a clean and efficient cut.
- **70L Cloth Catcher** – with grass level indicator allows for maximum airflow whilst in operation providing efficient grass collection.
- **High Powered Brushless Motor** – stays at 2,800rpm the entire time it is in use, providing maximum power to the user throughout every job.
- **10 Stage Height Adjustment from 20-100mm** – allows the user to quickly and easily change the cutting height to match the job.

Advantages

Power



High powered brushless motor runs at 2,800rpm to get through tough grass

Runtime



Holds up to 4x 18V batteries for extended runtime

Durability



534mm (21") Heavy Duty Steel Deck



Control



10 Stage Height Adjustment
20mm – 100mm

Our Range



	DLM531 - Discontinued	DLM535
		
Grass box capacity	70L/Full Mesh	70L/Full Mesh
Cutting height adjustment range	20-100mm, 10 heights	20-100mm, 10 heights
Blade type	2 Tooth Bar Blade	2 Tooth Bar Blade
Self-Propelled or Push	Push	Push
No load speed	2,300 - 2,800rpm (Quiet Mode – 2,300rpm)	2,800rpm (Quiet Mode – 2,300rpm)
Soft No Load Speed Feature	Yes	Yes
Max. cutting width	534mm (21")	534mm (21")
Maximum mowing area	Up to 2,000 m ² *Measured using 4x 6.0Ah 18V batteries, results may vary.	Up to 2,000 m ² *Measured using 4x 6.0Ah 18V batteries, results may vary.
Overall length	1,630mm	1,630mm
Skin weight	36kg	36kg
Weight (with battery)	38.4kg	38.4kg
Voltage	36V (18Vx2)	36V (18Vx2)

Removal of Automatic Torque Drive

The DLM531 featured Automatic Torque Drive technology which kept the rpm of the mower at a low of 2,300rpm until it encountered tough grass, which is when the rpm automatically increases to 2,800rpm.

For DLM535, the Automatic Torque Drive feature has been removed which means the mower will immediately start at 2,800rpm and stay at that level the entire time it is in use.










Our Range




	DLM535	LM001C	DLM537X	DLM532X	DLM464	DLM432	DLM382
							
Grass box capacity	70L/Full Mesh	70L/Full Mesh	70L/Full Mesh	70L/Full Mesh	60L/Full Mesh	50L	40L
Cutting height adjustment range	20-100mm, 10 heights	20 – 100mm, 10 heights	20-100mm, 10 heights	20-100mm, 10 heights	20-75mm, 10 heights	20-75mm, 13 heights	20-75mm, 13 heights
Blade type	2 Tooth Bar Blade	4 Swing Back Blades	4 Swing Back Blades	4 Swing Back Blades	2 Tooth Bar Blade	2 Tooth Bar Blade	2 Tooth Bar Blade
Self-Propelled or Push	Push	Self-Propelled	Self-Propelled	Self-Propelled	Push	Push	Push
No load speed	2,800rpm (Quiet Mode – 2,300rpm)	Normal – 2,800rpm Soft No Load – 2,300 to 2,800rpm Quiet Mode – 2,300rpm	2,800rpm (Quiet Mode - 2,300rpm)	2,300 rpm - 2,800rpm (Quiet Mode – 2,300rpm)	3,300rpm (Quiet Mode - 2,500rpm)	3,700rpm	3,700rpm
Soft No Load Speed Feature	Yes	Yes	No	Yes	No	No	No
Max. cutting width	534mm (21")	534mm (21")	534mm (21")	534mm (21")	460mm (18")	430mm (17")	380mm (15")
Maximum mowing area	Up to 2,300m ² <small>*Measured using 4x 6.0Ah 18V batteries, results may vary.</small>	Self-Propelled – Up to 4,200m ² Push Mode – Up to 5,400m ² <small>*Measured using PDC1200, results may vary</small>	Self-Propelled – up to 1,700m ² Push – up to 2,000m ² * <small>*Measured using 4x 6.0Ah 18V batteries, results may vary</small>	Self-Propelled – up to 1,700m ² Push – up to 2,000m ² <small>*Measured using 4x 6.0Ah 18V batteries, results may vary.</small>	Up to 800m ² <small>*Measured using 2x 6.0Ah 18V batteries, results may vary</small>	Up to 575m ² <small>*Measured using 2x 6.0Ah batteries, results may vary</small>	Up to 560m ² <small>*Measured using 2x 6.0Ah batteries, results may vary</small>
Overall length	1,630mm	1,715mm	1,635mm	1,630mm	1,518mm	1,490mm	1,380mm
Skin weight	36kg	40.7kg	45kg	42kg	26.4kg	16.3kg	15.6kg
Weight (with battery)	38.4kg	49.5kg with PDC1200	47.4kg	44.kg	27.6kg	17.5kg	16.8kg
Voltage	36V (18Vx2)	36V Direct Connection	36V (18Vx2)	36V (18Vx2)	36V (18Vx2)	36V (18Vx2)	36V (18Vx2)

Accessories

Standard Accessories – DLM532

	327589-6	Rod 6
	782210-8	Socket Wrench 17
	782212-4	Socket Wrench 13
	127546-2	Full Chute Mulching Plug
	459887-1	Side Discharge Guard
	643535-4	Safety Key
	191D52-7	Bar Blade Set

Optional Accessories

	BL1830B BL1840B BL1850B BL1860B	Batteries 18V 3.0Ah Battery 18V 4.0Ah Battery 18V 5.0Ah Battery 18V 6.0Ah Battery
	DC18SD DC18RC DC18RD DC18RE	Chargers Single Standard Charger Single Rapid Charger Dual Port Rapid Charger Dual Port Charger