

# nēta

## 2022 Garden Hose Range



**Practical  
GARDENING**

**starts**

**HERE**

## Garden Hose

Since the 1940's Neta has been synonymous with **high quality garden products**. Neta hoses are manufactured and tested to an exacting standard. Engineered for improved **softness, flexibility** and **kink resistance**, making them easy to use.

There is a Neta hose to suit each and every gardener and their garden. All Neta garden hoses are free of toxins and heavy metals (< 0.1%).

### What makes a Neta hose stronger and more durable?

It starts right at the point of manufacture with the use of high quality raw materials. Its basic structure, which comprises an inner tube, a woven casing and an outer tube, also determines its quality. The thicker the tube, the stronger the hose will be and the more it will resist kinking.

Strong polyester yarn, neatly and evenly braided, reinforces your Neta hose, allowing it to withstand high water pressure. The outer layer has high UV resistance to withstand the harsh Australian sun.



| Kink-Resistant | Durable                                      | UV Stabilised |
|----------------|--|---------------|
|                | <br><b>BRAIDED Double Layer Construction</b> |               |



|                        | Jade  | Emerald                  | Diamond                  | Platinum                 |
|------------------------|---|--------------------------|--------------------------|--------------------------|
|                        |   |                          |                          |                          |
| <b>Available</b>       | 12mm x 15m<br>12mm x 30m  | 12mm x 15m<br>12mm x 30m | 12mm x 15m<br>12mm x 30m | 12mm x 15m<br>12mm x 30m |
| <b>Fittings</b>        | Plastic   | Plastic                  | Plastic                  | Plastic / Brass          |
| <b>Kink Resistance</b> | <b>6/10</b>   | <b>7/10</b>              | <b>8/10</b>              | <b>9/10</b>              |
| <b>Burst Pressure</b>  | <b>2000 kPa</b>   | <b>2000 kPa</b>          | <b>2200 kPa</b>          | <b>2500 kPa</b>          |
|                        | Braided Double Layer Construction                               |                          |                          |                          |
|                        | Free of hazardous substances and heavy metals (less than 0.1%). |                          |                          |                          |
|                        | UV stabilised for long life.                                    |                          |                          |                          |
| <b>Warranty</b>        |   |                          |                          |                          |

## Jade Garden Hose 12mm - Fitted



| PRODUCT SIZE      | ARTICLE NUMBER | PART NUMBER | ORDER QTY | CTN QTY | BARCODE             |
|-------------------|----------------|-------------|-----------|---------|---------------------|
| 12mm x 15m Fitted | GH/06F12015    | 970532001   | 5         | 5       | 9 3 142 12 12 197 4 |
| 12mm x 30m Fitted | GH/06F12030    | 970532401   | 3         | 3       | 9 3 142 12 12 198 1 |

- **12mm** diameter. Available in **15m** and **30m** lengths.
- Supplied **ready-to-water** with high-quality plastic fittings.
- **6/10** Kink resistance rating.
- Burst pressure of **2000 kPa**.
- **Durable** - Braided double-layer construction.
- **UV Stabilised** for long life.
- **Free** of hazardous substances and heavy-metals (less than 0.1%).
- Tested and manufactured to meet Australian Standards AS2620.
- **6 Year Neta No-Break Guarantee**.

## Emerald Garden Hose 12mm - Fitted



|                   |             |           |   |   |                     |
|-------------------|-------------|-----------|---|---|---------------------|
| 12mm x 15m Fitted | GH/10F12015 | 970532501 | 5 | 5 | 9 3 142 12 12 201 8 |
| 12mm x 30m Fitted | GH/10F12030 | 970532602 | 3 | 3 | 9 3 142 12 12 202 5 |

- **12mm** diameter. Available in **15m** and **30m** lengths.
- Supplied **ready-to-water** with high-quality plastic fittings.
- **7/10** Kink Rating.
- Burst pressure of **2000 kPa**.
- **Durable** - Braided double-layer construction.
- **UV Stabilised** for long life.
- **Free** of hazardous substances and heavy-metals (less than 0.1%).
- Tested and manufactured to meet Australian Standards AS2620.
- **10 Year Neta No-Break Guarantee**.

## Diamond Garden Hose 12mm - Fitted



|                   |             |           |   |   |                     |
|-------------------|-------------|-----------|---|---|---------------------|
| 12mm x 15m Fitted | GH/15F12015 | 970533001 | 5 | 5 | 9 3 142 12 12 203 2 |
| 12mm x 30m Fitted | GH/15F12030 | 970533101 | 3 | 3 | 9 3 142 12 12 204 9 |

- **12mm** diameter. Available in **15m** and **30m** lengths.
- Supplied **ready-to-water** with high-quality plastic fittings.
- **8/10** kink resistance rating.
- Burst pressure of **2200 kPa**.
- **Durable** - Braided double-layer construction.
- **UV Stabilised** for long life.
- **Free** of hazardous substances and heavy-metals (less than 0.1%).
- Tested and manufactured to meet Australian Standards AS2620.
- **15 Year Neta No-Break Guarantee**.

## Platinum Garden Hose 12mm - Fitted



| PRODUCT SIZE      | ARTICLE NUMBER | PART NUMBER | ORDER QTY | CTN QTY | BARCODE             |
|-------------------|----------------|-------------|-----------|---------|---------------------|
| 12mm x 15m Fitted | GH/25F12015    | 970533201   | 5         | 5       | 9 3 142 12 12 205 6 |
| 12mm x 30m Fitted | GH/25F12030    | 970533301   | 3         | 3       | 9 3 142 12 12 206 3 |

- **12mm** diameter. Available in **15m** and **30m** lengths.
- Supplied **ready-to-water** with high-quality plastic fittings.
- **9/10** kink-resistance rating.
- Burst pressure of **2500 kPa**.
- **Durable** - Braided double-layer construction.
- **UV Stabilised** for long life.
- **Free** of hazardous substances and heavy-metals (less than 0.1%).
- Tested and manufactured to meet Australian Standards AS2620.
- **25 Year Neta No-Break Guarantee**.

## Platinum Garden Hose 12mm - Brass Fitted



|                   |             |           |   |   |                     |
|-------------------|-------------|-----------|---|---|---------------------|
| 12mm x 15m Fitted | GH/25F12B15 | 970533401 | 5 | 5 | 9 3 142 12 12 207 0 |
| 12mm x 30m Fitted | GH/25F12B30 | 970533501 | 3 | 3 | 9 3 142 12 12 208 7 |

- **12mm** diameter. Available in **15m** and **30m** lengths.
- Supplied **ready-to-water** with high-quality **brass** fittings.
- **9/10** kink-resistance rating.
- Burst pressure of **2500 kPa**.
- **Durable** - Braided double-layer construction.
- **UV Stabilised** for long life.
- **Free** of hazardous substances and heavy-metals (less than 0.1%).
- Tested and manufactured to meet Australian Standards AS2620.
- **25 Year Neta No-Break Guarantee**.

## Tap to Reel Connection 12mm - Fitted



|                    |             |           |   |   |                     |
|--------------------|-------------|-----------|---|---|---------------------|
| 12mm x 1.5m Fitted | MH/F1215HRC | 970549101 | 4 | 4 | 9 3 142 12 12 219 3 |
|--------------------|-------------|-----------|---|---|---------------------|

- **12mm** diameter. **1.5m** long.
- Supplied **ready-to-connect** with quality plastic fittings.
- **7/10** kink-resistance rating.
- Burst pressure of **2000 kPa**.
- **Durable** - Braided double-layer construction.
- **UV Stabilised** for long life.
- **Free** of hazardous substances and heavy-metals (less than 0.1%).
- Tested and manufactured to meet Australian Standards AS2620.
- **10 Year Neta No-Break Guarantee**.

**Practical  
GARDENING**

**starts**

**HERE**

**Reliability  
since**

**1947**



**Practical Products**  
Offering convenient solutions

**Designed for  
Australian and  
New Zealand  
conditions**



**DURABLE  
No Break  
GUARANTEE**

**nēta**

A Division of Husqvarna Australia Pty Ltd  
ABN 45 115 475 619

**NATIONAL SALES & CUSTOMER SERVICE**

Phone: 1300 804 213

Fax: 1800 332 555

Email: [neta.au@husqvarnagroup.com](mailto:neta.au@husqvarnagroup.com)

**[netagarden.com](http://netagarden.com)**

Any information quoted in this publication should be considered approximate only.  
Photographs and drawings in this publication are for illustration purposes only.  
Neta reserves the right to correct errors or misprints.